Tidal Marshes & Rising Tides: Facilitating ecological resilience in the Fraser River delta Eric Balke, MSc South Coast Conservation Land Management Program Eric.Balke@gov.bc.ca

South Coast Conservation Land Management Program



HABITAT CONSERVATION TRUST Canada **FOUNDATION**



Changement climatique Canada Canadian Wildlife Service Service canadien de la faune

Google Earth

Image Landsat / Copernicus Data SIO, NOAA, U.S. Navy, NGA, GEBCO







St . Present site of Steveston

Figures: Clague and Turner, 2003

North Arm Vancouver

Middle Arm

Richmond

Delta

Main Arm

Canoe Pass

10 15

Vancouver

N

Richmond

Delta

10 15

5

Photo: E. Balke

5

Vancouve

Richmond

Photo: Tomohiro Kuwae

Delta

10 15

Vancouver

N

Richmond

Delta

5 10 15 km

Photo: National Marine Biological Laboratory

Vancouv

Richmon

Photo: Tavish Campbell

Delta

5 10 15

Vancouver

N

Richmond

Delta

5 10 15 km

 $(\mathbf{0})$

Photo: E. Balke

0

Vanco

Richmc Photo: E. Balke

Delta

5 10 15

Vancouver

N

Richmond

Delta

10 15 km

5

Vancouver

Sturgeon Bank

Richmond Wildlife Management Areas

Roberts Bank

outh Arm Marshes Delta Boundary

> Image © 2018 DigitalGlobe Data SIO, NOAA, U.S. Navy, NGA, GEBCO

Bay

Image © 2018 IMTCAN



Ν

14.8 km

North Arm Vancouver

Middle Arm

Richmond

Delta

Main Arm

Canoe Pass

10 15

Sturgeon Bank (Lulu Island)

10 15 km



Sea Island

Lulu Island

Westham Island

Brunswick Point

10









Landward Migration

Costal marshes

Landward Migration

Sea-level rise



Landward Migration

Sea-level rise \rightarrow marsh migrates landward





Costal marshes with dike





Sea-level rise with dike





Sea-level rise with dike \rightarrow coastal squeeze







Build dike higher



Build dike higher



Build dike higher \rightarrow marsh loss





Build dike higher













Build dike higher + gradually widen dike toe → increase marsh resilience

Dike

Build dike higher + gradually widen dike toe → marsh survives with SLR?

nike



Depicting maximum extents of living dike pilot extents under consideration

.

•

R

ancouver Blaine risy D

10

99

91

-F

10.00

Year 1 Marsh Pads







One year old pads with supplemental planting



Two year old pads with established planting

Years 1-3 Marsh Pads







One year old pads with supplemental planting



Two year old pads with established planting



Take Away

 Estuary is unique, important, degraded, at risk of continued loss

Sea-level rise poses an unprecedented threat
Ecosystems are infrastructure!

Acknowledgements





HABITAT Conservation trust Foundation









Contact: Eric.Balke@gov.bc.ca



Environment and

Climate Change Canada

Environnement et Changement climatique Canada

Photo: E. Balke